


Mepilex® Border Post-Op



Postoperativer, flexibler Komplettverband

Mepilex Border Post-Op ist ein flexibler Komplettverband, der bis zu 14 Tage² auf der Wunde verbleiben kann und die frühe Patientenmobilisierung fördert.



Ungestörte postoperative Wundheilung bis zu 14 Tage.²

Vorteile

- kann bis zu 14 Tage auf der Wunde verbleiben²
- flexibel und komfortabel³⁻⁵
- sehr hohe Absorption und Retention von Flüssigkeiten^{3,4}
- Haftung über die gesamte Wundauflage
- minimiert Hautschäden³⁻⁵
- Duschfestigkeit⁶

Anwendungsgebiete

- akute Wunden, wie chirurgische Wunden, Schnittwunden und Abrasionen

Zwischen 2019 und 2022 wurden sechs Konsensus Meetings mit führenden Chirurgen weltweit durchgeführt, mit dem Ziel den idealen postoperativen Wundverband zu definieren¹

Folgendes Ergebnis wurde erzielt:

Der Verband soll so lange wie möglich auf der Wunde belassen werden, um:

- Kontaminationen zu minimieren
- Kosten und Zeit zu reduzieren
- die Heilung zu optimieren



Referenzen:

1. Incision care and dressing selection in surgical wounds: Findings from a series of international meetings. Sandy-Hodgetts K., Morgan-Jones R. Wounds International, 2022. 2. Van Overschelde P, et al. Undisturbed wound healing: a single centre retrospective study investigating patient reported outcomes and clinical validity of extended dressing wear time for incisional healing following orthopaedic surgery, the ARCTIS study. Journal of Wound Care, 2024. 3. Beele H. et al. A prospective randomized controlled clinical investigation comparing two post-operative wound dressings used after elective hip and knee replacement; Mepilex® Border Post-Op versus Aquacel® Surgical. International Journal of Orthopaedic and Trauma Nursing, 2020. 4. Zarghooni K. et al. Is the use of modern versus conventional wound dressings warranted after primary knee and hip arthroplasty? Acta Orthopaedica Belgica, 2015. 5. Bredow J. et al. Evaluation of Absorbent Versus Conventional Wound Dressing. A Randomized Controlled Study in Orthopedic Surgery. Deutsche Arzteblatt International, 2018. 6. Southern K et al. Compliance with the ISWCAP checklist in a THR ERAS pathway – A snapshot audit. Clinical

Beispiele für Anwendungsgebiete



Mepilex® Border Post-Op am Knie



Chirurgische Wunde

Bestellinformationen

Home Care

Art.-Nr.	Größe	Größe Wundkissen	PZN/Packung	Stück/Packung	Stück/Karton
49 61 00	6 x 8 cm	3 x 5 cm	11 63 91 13	10	100
49 62 00	9 x 10 cm	5 x 6 cm	11 63 91 36	10	100
49 63 00	10 x 15 cm	5 x 10 cm	11 63 91 42	10	100
49 64 05	10 x 20 cm	5 x 15 cm	11 63 91 59	5	25
49 64 55	10 x 25 cm	5 x 20 cm	11 63 91 65	5	30
49 66 05	10 x 30 cm	5 x 25 cm	11 63 91 71	5	25
49 66 50	10 x 35 cm	5 x 30 cm	11 63 91 88	5	50

Steril – einzeln verpackt

Scannen Sie den QR Code
und erfahren Sie mehr über die
postoperative Wundversorgung



Klinik

Art.-Nr.	Größe	Größe Wundkissen	Stück/Packung	Stück/Karton
49 61 00	6 x 8 cm	3 x 5 cm	10	100
49 62 00	9 x 10 cm	5 x 6 cm	10	100
49 63 00	10 x 15 cm	5 x 10 cm	10	100
49 64 00	10 x 20 cm	5 x 15 cm	10	30
49 64 50	10 x 25 cm	5 x 20 cm	10	80
49 66 00	10 x 30 cm	5 x 25 cm	10	40
49 66 50	10 x 35 cm	5 x 30 cm	5	50

Steril – einzeln verpackt